



**HESTORE.HU**

elektronikai alkatrész áruház


**EN:** This Datasheet is presented by the manufacturer.

Please visit our website for pricing and availability at [www.hestore.hu](http://www.hestore.hu).

### Specification:

- 1) Rating: 20 A 125 VAC; 15 A 250 VAC
- 2) Contact Resistance: 35 mΩ max.
- 3) Insulation Resistance: 500 VDC 100 MΩ min.
- 4) Dielectric strength: 1500 VAC, 1 minute
- 5) Operating temperature: -30°C ~ +80°C
- 6) Electric Life: 10000 cycles

### RSI2011A3BK/WH



#### CIRCUITRY TRAIT

|    |      |     |      |
|----|------|-----|------|
| 01 | ON   | -   | OFF  |
| 11 | (ON) | -   | OFF  |
| 02 | ON   | -   | ON   |
| 03 | ON   | OFF | ON   |
| 23 | (ON) | OFF | (ON) |

( ) indicates momentary

#### CAP COLOUR


|    |        |
|----|--------|
| RD | red    |
| GN | green  |
| OR | orange |
| BU | blue   |
| WH | white  |
| BK | black  |
| YL | yellow |

#### PROTECTIV CAP



RSC-09


#### CAP OPTIONS



#### BASE COLOUR

WH white  
GY gray  
omitted when standard colour (black)


#### CAP MARKING




# Ninigi




**RSI2011A** ON-OFF  
**RS2011A** ON-OFF  
 DPST 4P




**RSI2011B** ON-OFF  
**RS2011B** ON-OFF  
 DPST 4P




**RSI2011C** ON-OFF  
**RS2011C** ON-OFF  
 DPST 4P




**RSI2021A** ON-ON  
**RSI2031A** ON-OFF-ON  
**RS2021A** ON-ON  
**RS2031A** ON-OFF-ON  
 DPDT 6P



**RSI2021B** ON-ON  
**RSI2031B** ON-OFF-ON  
**RS2021B** ON-ON  
**RS2031B** ON-OFF-ON  
 DPDT 6P




**RSI2021C** ON-ON  
**RSI2031C** ON-OFF-ON  
**RS2021C** ON-ON  
**RS2031C** ON-OFF-ON  
 DPDT 6P




# Ninigi




**RSI2012A** ON-OFF  
**RS2012A** ON-OFF  
 DPST 4P




**RSI2012B** ON-OFF  
**RS2012B** ON-OFF  
 DPST 4P




**RSI2012C** ON-OFF  
**RS2012C** ON-OFF  
 DPST 4P




**RSI2022A** ON-ON  
**RS2022A** ON-ON  
 DPDT 6P



**RSI2022B** ON-ON  
**RS2022B** ON-ON  
 DPDT 6P




**RSI2022C** ON-ON  
**RS2022C** ON-ON  
 DPDT 6P




# Ninigi




**RSI2013A** ON-OFF  
**RS2013A** ON-OFF  
 DPST 4P




**RSI2013C** ON-OFF  
**RS2013C** ON-OFF  
**RS2113C** (ON)-OFF  
 DPST 4P




**RSI2023A** ON-ON  
**RS2023A** ON-ON  
 DPDT 6P




**RSI2023C** ON-ON  
**RS2023C** ON-ON  
 DPDT 6P



**RS2014C** ON-OFF  
 DPST 4P



**RSI2024C** ON-ON  
**RS2034C** ON-OFF-ON  
**RS2234C** (ON)-OFF-(ON)  
 DPDT 6P







# Ninigi




**RS2025C** ON-ON  
**RS2035C** ON-OFF-ON  
 6 A 125 VAC; 3 A 250 VAC  
 DPDT 6P




**RS21011A** ON-OFF  
 DPST 4P




**RS21011B** ON-OFF  
 DPST 4P




**RS21011C** ON-OFF  
 DPST 4P



**RSI21011A** ON-OFF  
 DPST 6P  
**RS21021A** ON-ON  
 DPDT 6P




**RSI21011B** ON-OFF  
 DPST 6P  
**RS21021B** ON-ON  
 DPDT 6P




# Ninigi



**RSI21011C** ON-OFF  
DPST 6P  
**RS21021C** ON-ON  
DPDT 6P



**RSI2101E1C** ON-OFF  
DPST 6P



**RSI21013C** ON-OFF  
DPST 6P

